


Assembly Instructions




MODEL:AMT45-2EXT

PRODUCT SIZE(LxWxH): 249X123X252CM



PLEASE READ CAREFULLY BEFORE ASSEMBLY

	PART	NO	QTY
1		L02A	2
2		L02C	2
3		L04A	2
4		L05A	4
5		L06D	1
6		L07D	2
7		L08B	2
8		L09F	2
9		L10A	2
10		L10C	2
11		F1	2



WINDOW

PART	NO	QTY
	L11A	2
	L19A	4
	L20A	2
	L21A	2




PART	NO	QTY
	A96	2
	A98	3
	D26	1
	D329	6
	D25	2
	D307	2
	D05	4
	D114	4
	A111	2
	S26 M5X12	18
	S105 M5X10	36
	M05 M5	36
	S05 M6X12	12
	M03 M6	12
	Z08 Ø4.2X16	2
	S28 M4X10	4
	M02 M4	4
	Z02 Ø4X16	12
	S69 M6X60	4


PART	NO	QTY
	Y1	2
	Y4	2
	Y5	4
	Y3	4
	J107	28





PART	NO	QTY
	L19A	4
	L20A	2
	L21A	2
	L11A	2
	Y4	2
	Z02	12
	Ø4X16D	
	S28	4
	M4X10	


Window X 2








PART	NO	QTY
	L19A	2
	L20A	1
	L21A	1
	L11A	1
	Y4	1
	Z02	6
	Ø4X16D	
	S28	2
	M4X10	









Z02




L19A


L19A




Z02







Z02











L11A






PART	NO	QTY
	L08B	2
	L06D	1
	L07D	2
	L10A	2
	L10C	2
	F1	2
	A96	2
	A98	3
	S26	18
	M5X12	
	S05	8
	M6X12	
	M03	8
	M6	
	D307	2
	D05	4




PART	NO	QTY
	L02C	2
	L02A	2
	S105 M5X10	16
	M05 M5	16



PART	NO	QTY
	L05A	4
	D329	6
	S105 M5X10	8
	M05 M5	8
	S26 M5X12	76




PART	NO	QTY
	L04A	2
	A111	2
	WINDOW	2
	Y5	2
	S105 M5X10	12
	M05 M5	12
	M02 M4	4




Firstly, slide the glazing panel Y5 into the channel of L02

Install the manual window opener A111 as shown to adjust the opening height of the window.






Slide 2 bolts (S105) into each L20A(L04 Slide 4 bolts S105), and bolt it to L02, using the S105 & M05




PART	NO	QTY
	Y1	2
	Y5	2
	Y3	4
	L09F	2
	D26	1
	Z08 Ø4.2X16	2
	S26 M5X12	6
	D25	2
	S05 M6X12	4
	M03 M6	4


PART	NO	QTY
	J107	19



If glass is chosen, please seal it with rubber (J107) provided.
If polycarbonate sheet is chosen, rubber is not provided.



Use S26 to lock L09 and L07



Slide 1*S05 into the bolt channel of both L09A,
fix D25 to L09A using S05 & M03.

