










ITEM NO:HTVE-605-9090  
ITEM NO:HTVE-605-1010

## User Manual





PH2  
PZ2



## TROUBLESHOOTING

---

| Problem                                                  | Action                                                                                |
|----------------------------------------------------------|---------------------------------------------------------------------------------------|
| Leakage                                                  | Check the watertightness between the base and the glass walls.                        |
|                                                          | Check the watertightness between the base and the rails.                              |
|                                                          | Check the watertightness between the rails and the glass walls.                       |
| Walls do not fit properly to the base                    | Check with a spirit level that the base is horizontal.                                |
|                                                          | Check with a spirit level that the walls are vertical.                                |
| Doors make a noise and/or do not open and close smoothly | Check with a spirit level that the shower cabinet is fastened vertically to the wall. |
|                                                          | Check door wheels and their lubrication.                                              |

## MAINTENANCE

---

### CLEANING

- Clean regularly with a mixture of equal parts of water and vinegar. Allow 5 minutes for it to act, and then rinse with water
- Do not use strong or abrasive detergents or solvents, this could damage the product.
  - Follow the manufacturer's instructions when using detergents. Do not use steel wool/Scotchbrite, abrasive detergents or sharp implements.
- Use bactericidal detergent on a regular basis.
- Leave the doors open after using the shower to reduce the risk of mildew.
- Rinse off residual soap etc. from the walls after use.

### MAINTENANCE

- Lubricate the doors if they make a noise, or do not open and close smoothly.
- Check that all parts are correctly fitted and sealed before using the shower.
- Check that the walls are vertical and correctly fitted to each other before use.

## FEILSØKING

| Problem                                   | Tiltak                                                                   |
|-------------------------------------------|--------------------------------------------------------------------------|
| Lekkasje                                  | Kontroller vanntettheten mellom bunnen og glassvegger.                   |
|                                           | Kontroller vanntettheten mellom bunnen og skinner.                       |
|                                           | Kontroller vanntettheten mellom skinner og glassvegger.                  |
| Vegger ikke rettet inn mot bunnen         | Kontroller med vaterpass at bunnen er horisontal.                        |
|                                           | Kontroller med vaterpass at veggene er vertikale.                        |
| Dørene støyer og/eller beveger seg ujevnt | Kontroller med vaterpass at dusjkabinettet er vertikalt festet mot vegg. |
|                                           | Kontroller hjulene på dørene og om de er smurt.                          |


## VEDLIKEHOLD





























### RENGJØRING




- Rengjør regelmessig med en blanding av like deler vann og eddik. La virke i 5 minutter og skyll med vann
- Ikke bruk sterke eller slipende rengjøringsmidler eller løsemidler, det kan skade produktet.
  - Følg produsentens anvisninger ved bruk av rengjøringsmiddel. Ikke bruk stålull/scotchbrite, slipende rengjøringsmidler eller skarpe gjenstander.
- Bruk regelmessig bakteriedrepende rengjøringsmiddel.
- La dørene stå åpne etter at dusjen er brukt, for å redusere faren for at det danner seg mugg.
- Skyll bort såperester og lignende fra veggene etter hver gangs bruk.



### VEDLIKEHOLD



- Smør hvis dørene støyer og/eller beveger seg ujevnt.
- Kontroller at alle deler er riktig montert og tettet før du bruker vann.
- Kontroller før bruk at veggene er vertikale og korrekt tilpasset mot hverandre.























12




05





28












4X12







28











14

